


# Latitude 7320

## Setup and specifications guide



## Notes, cautions, and warnings

 **NOTE:** A NOTE indicates important information that helps you make better use of your product.

 **CAUTION:** A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

 **WARNING:** A WARNING indicates a potential for property damage, personal injury, or death.

# Contents

<b>Chapter 1: Set up your Latitude 7320</b>	<b>4</b>
<b>Chapter 2: Create a USB recovery drive for Windows</b>	<b>6</b>
<b>Chapter 3: Views of Latitude 7320</b>	<b>7</b>
Right	7
Left	8
Palmrest	8
Display	9
Bottom	10
Modes	10
Battery Charge and Status LED	13
<b>Chapter 4: Specifications of Latitude 7320</b>	<b>14</b>
Dimensions and weight	14
Processor	15
Chipset	15
Operating system	15
Memory	16
External ports	16
Internal slots	16
Wireless module	17
Audio	18
Storage	18
Media-card reader	18
Keyboard	19
Camera	19
Touchpad	20
Power adapter	20
Battery	21
Display	22
Fingerprint reader in power button	23
GPU—Integrated	23
Operating and storage environment	24
<b>Chapter 5: Keyboard shortcuts</b>	<b>25</b>
<b>Chapter 6: Getting help</b>	<b>26</b>
Contacting Dell	26

# Set up your Latitude 7320

1. Connect the power adapter and press the power button.

**NOTE:** To conserve battery power, the battery might enter power saving mode.





2. Finish Windows system setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:




- Connect to a network for Windows updates.
  - NOTE:** If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.

3. Locate and use Dell apps from the Windows Start menu—Recommended

**Table 1. Locate Dell apps**

Dell apps	Details
	<p><b>Dell Product Registration</b></p> <p>Register your computer with Dell.</p>
	<p><b>Dell Help &amp; Support</b></p> <p>Access help and support for your computer.</p>

**Table 1. Locate Dell apps (continued)**

Dell apps	Details
	<p><b>SupportAssist</b></p> <p>Proactively checks the health of your computer’s hardware and software.</p> <p><b>i</b> <b>NOTE:</b> Renew or upgrade your warranty by clicking the warranty expiry date in SupportAssist.</p>
	<p><b>Dell Update</b></p> <p>Updates your computer with critical fixes and important device drivers as they become available.</p>
	<p><b>Dell Digital Delivery</b></p> <p>Download software applications including software that is purchased but not preinstalled on your computer.</p>

4. Create recovery drive for Windows.

**i** **NOTE:** It is recommended to create a recovery drive to troubleshoot and fix problems that may occur with Windows.

For more information, see [Create a USB recovery drive for Windows](#).

# Create a USB recovery drive for Windows

Create a recovery drive to troubleshoot and fix problems that may occur with Windows. An empty USB flash drive with a minimum capacity of 16 GB is required to create the recovery drive.

**NOTE:** This process may take up to an hour to complete.

**NOTE:** The following steps may vary depending on the version of Windows installed. Refer to the [Microsoft support site](#) for latest instructions.


1. Connect the USB flash drive to your computer.
2. In Windows search, type **Recovery**.
3. In the search results, click **Create a recovery drive**.  
The **User Account Control** window is displayed.
4. Click **Yes** to continue.  
The **Recovery Drive** window is displayed.
5. Select **Back up system files to the recovery drive** and click **Next**.
6. Select the **USB flash drive** and click **Next**.  
A message appears, indicating that all data in the USB flash drive will be deleted.
7. Click **Create**.
8. Click **Finish**.  
For more information about reinstalling Windows using the USB recovery drive, see the *Troubleshooting* section of your product's *Service Manual* at [www.dell.com/support/manuals](http://www.dell.com/support/manuals).

## Views of Latitude 7320

### Topics:


- [Right](#)
- [Left](#)
- [Palmrest](#)
- [Display](#)
- [Bottom](#)
- [Modes](#)
- [Battery Charge and Status LED](#)

## Right




1. micro-SD card slot
2. micro-SIM card slot (optional with WWAN configuration only)
3. Thunderbolt 4 with Power Delivery/DisplayPort Alt Mode/USB 4 type-C
4. SuperSpeed USB 3.2 Gen 1 Type-A with PowerShare
5. HDMI 2.0 port
6. Wedge security lock slot

# Left



- 1. Thunderbolt 4 with Power Delivery/DisplayPort Alt Mode/USB 4 type-C
- 2. Air vents
- 3. Headset (headphone and microphone combo) port
- 4. Smart card reader slot (optional)

# Palmrest





- 1. Microphone array
- 3. Keyboard

- 2. Power button (optional with Fingerprint reader)
- 4. Touchpad

# Display



- 1. Proximity sensor (optional)
- 3. RGB or IR Camera (optional)
- 5. Camera status LED
- 7. Ambient Light Sensor (ALS) (optional)
- 9. LED indicator

- 2. IR emitter (optional)
- 4. Camera shutter
- 6. IR emitter (optional)
- 8. LCD panel

## Bottom



1. Speakers
2. Service tag label
3. Cooling vents

## Modes

**NOTE:** The modes are applicable only to Latitude 7320 2-in-1 (an upsell option).

## Tablet mode



## Laptop mode



## Tent mode



## Stand mode



# Battery Charge and Status LED

Table 2. Battery Charge and Status LED Indicator

Power Source	LED Behavior	System Power State	Battery Charge Level
AC Adapter	Off	S0 - S5	Fully Charged
AC Adapter	Solid White	S0 - S5	< Fully Charged
Battery	Off	S0 - S5	11-100%
Battery	Solid Amber (590+/-3 nm)	S0 - S5	< 10%

- S0 (ON) - System is turned on.
- S4 (Hibernate) - The system consumes the least power compared to all other sleep states. The system is almost at an OFF state, expect for a trickle power. The context data is written to hard drive.
- S5 (OFF) - The system is in a shutdown state.

# Specifications of Latitude 7320

## Topics:

- Dimensions and weight
- Processor
- Chipset
- Operating system
- Memory
- External ports
- Internal slots
- Wireless module
- Audio
- Storage
- Media-card reader
- Keyboard
- Camera
- Touchpad
- Power adapter
- Battery
- Display
- Fingerprint reader in power button
- GPU—Integrated
- Operating and storage environment


## Dimensions and weight

The following table lists the height, width, depth, and weight of your Latitude 7320.

**Table 3. Dimensions and weight**

Description	Values
Height:	
Front height	<ul style="list-style-type: none"> <li>• 16.96 mm (0.67 in.) - Carbon Fiber</li> <li>• 16.71 mm (0.65 in.) - Aluminium</li> <li>• 16.40 mm (0.65 in.) - 2-in-1</li> </ul>
Rear height	<ul style="list-style-type: none"> <li>• 18.36 mm (0.722 in.) - Carbon Fiber</li> <li>• 18.00 mm (0.708 in.) - Aluminium</li> <li>• 18.60 mm (0.732 in.) - 2-in-1</li> </ul>
Width	<ul style="list-style-type: none"> <li>• 306.50 mm (12.07 in.) - Carbon Fiber</li> <li>• 306.50 mm (12.07 in.) - Aluminium</li> <li>• 306.50 mm (12.07 in.) - 2-in-1</li> </ul>
Depth	<ul style="list-style-type: none"> <li>• 199.5 mm (7.85 in.) - Carbon Fiber</li> <li>• 199.5 mm (7.85 in.) - Aluminium</li> <li>• 199.5 mm (7.85 in.) - 2-in-1</li> </ul>
Weight (minimum)	<ul style="list-style-type: none"> <li>• 1.12 kg (2.48 lb) - Carbon Fiber</li> </ul>

**Table 3. Dimensions and weight (continued)**

Description	Values
	<ul style="list-style-type: none"> <li>1.29 kg (2.84 lb) - Aluminium</li> <li>1.39 kg (3.06 lb) - 2-in-1</li> </ul> <p> <b>NOTE:</b> The weight of your computer depends on the configuration ordered and manufacturing variability.</p>

## Processor

The following table lists the details of the processors supported by your Latitude 7320.

**Table 4. Processor**

Description	Option one	Option two	Option three	Option four
Processor type	11 <sup>th</sup> Generation Intel Core i5-1135G7 (Non-vPro)	11 <sup>th</sup> Generation Intel Core i5-1145G7 (vPro)	11 <sup>th</sup> Generation Intel Core i7-1165G7 (Non-vPro)	11 <sup>th</sup> Generation Intel Core i7-1185G7 (vPro)
Processor wattage	<ul style="list-style-type: none"> <li>Maximum TDP: 28 W</li> <li>cTDP: 13 W - 15 W</li> </ul>	<ul style="list-style-type: none"> <li>Maximum TDP: 28 W</li> <li>cTDP: 13 W - 15 W</li> </ul>	<ul style="list-style-type: none"> <li>Maximum TDP: 28 W</li> <li>cTDP: 13 W - 15 W</li> </ul>	<ul style="list-style-type: none"> <li>Maximum TDP: 28 W</li> <li>cTDP: 13 W - 15 W</li> </ul>
Processor core count	4	4	4	4
Processor thread count	8	8	8	8
Processor speed	2.40 GHz to 4.20 GHz	2.60 GHz to 4.40 GHz	2.80 GHz to 4.70 GHz	3.00 GHz to 4.80 GHz
Processor cache	8 MB	8 MB	12 MB	12 MB
Integrated graphics	Intel Iris X <sup>e</sup> Graphics	Intel Iris X <sup>e</sup> Graphics	Intel Iris X <sup>e</sup> Graphics	Intel Iris X <sup>e</sup> Graphics

## Chipset

The following table lists the details of the chipset supported by your Latitude 7320.

**Table 5. Chipset**

Description	Values
Chipset	Tiger Lake U PCH
Processor	11 <sup>th</sup> Generation Intel Core i5/i7
DRAM bus width	64-bit
Flash EPROM	32 MB
PCIe bus	Up to Gen4


## Operating system

Your Latitude 7320 supports the following operating systems:

- Windows 10 Home (64-bit)
- Windows 10 Pro (64-bit)
- Ubuntu Linux 20.04 (64-bit) (available on laptop only)

## Memory

**Table 6. Memory specifications**

Description	Values
Slots	Built on system board  <b>NOTE:</b> not upgradable
Type	Dual-channel Low-Power Dual Data Rate (LPDDR4x)
Speed	4267 MHz
Maximum memory	32 GB
Minimum memory	8 GB
Configurations supported	<ul style="list-style-type: none"> <li>• 8 GB, 2 x 4 GB</li> <li>• 16 GB, 2 x 8 GB</li> <li>• 32 GB, 2 x 16 GB</li> </ul>

## External ports

The following table lists the external ports on your Latitude 7320.

**Table 7. External ports**

Description	Values
USB ports	<ul style="list-style-type: none"> <li>• One SuperSpeed USB 3.2 Gen 1 Type-A with PowerShare</li> <li>• Two Thunderbolt 4 with Power Delivery/DisplayPort Alt Mode/USB 4 type-C</li> </ul>
Audio port	One Combo Mic/Headphone Jack
Video port	<ul style="list-style-type: none"> <li>• One HDMI 2.0</li> <li>• Two Thunderbolt 4 with DisplayPort Alt Mode</li> </ul>
Media-card reader	One microSD-card 4.0 slot
Power-adaptor port	USB Type-C port with Power Delivery
Security-cable slot	One Wedge shaped lock slot

## Internal slots


The following table lists the internal slots of your Latitude 7320.

**Table 8. Internal slots**

Description	Values
M.2	One M.2 2230/2280 Keyed M slot for solid-state drive




**Table 8. Internal slots**

Description	Values
	 <b>NOTE:</b> To learn more about the features of different types of M.2 cards, see the knowledge base article <a href="#">Article Number: 144170</a> at <a href="http://www.dell.com/support">www.dell.com/support</a> .

## Wireless module

The following table lists the Wireless Local Area Network (WLAN) module that is supported on your Latitude 7320.

**Table 9. Wireless module specifications**

Description	Values
Model number	Intel AX201  <b>NOTE:</b> Built on system board and not replaceable as a standalone part
Transfer rate	<ul style="list-style-type: none"> <li>2.4 GHz 40M: Up to 574 Mbps</li> <li>5 GHz 80M: Up to 1.2 Gbps</li> <li>5 GHz 160M: Up to 2.4 Gbps</li> </ul>
Frequency bands supported	2.4 GHz/5 GHz
Wireless standards	<ul style="list-style-type: none"> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (802.11ax)</li> </ul>
Encryption	<ul style="list-style-type: none"> <li>64-bit and 128-bit WEP</li> <li>TKIP</li> <li>128-bit AES-CCMP</li> <li>256-bit AES-GCMP</li> </ul>
Bluetooth	Bluetooth 5.1

## WWAN modules

The following list provides the mobile broadband module options available on Latitude 7320

- Qualcomm Snapdragon X20 Gigabit LTE CAT 16 (DW5821e; e-SIM enabled), WW excluding China, Turkey, US
  - Qualcomm Snapdragon X20 Gigabit LTE CAT 16 (DW5821e) WW
  - Qualcomm Snapdragon X20 Gigabit LTE CAT 16 (DW5821e) for AT&T, Verizon, and Sprint, US only
- Qualcomm Snapdragon X20 LTE-A CAT 9 (DW5829e; e-SIM enabled) WW excluding China, Turkey, US
  - Qualcomm Snapdragon X20 LTE-A CAT 9 (DW5829e) WW
  - Qualcomm Snapdragon X20 LTE-A CAT 9 (DW5829e) for AT&T, Verizon, and Sprint, US only

# Audio

The following table lists the audio specifications of your Latitude 7320.

**Table 10. Audio specifications**

Description		Values
Audio controller		Realtek ALC3281-CG, High Definition Audio
Stereo conversion		Supported
Internal audio interface		High definition audio
External audio interface		Universal audio jack
Number of speakers		Two
Internal-speaker amplifier		Supported (audio codec integrated)
External volume controls		Keyboard shortcut controls
Speaker output:		
	Average speaker output	2 W
	Peak speaker output	2.5 W
Subwoofer output		Not supported
Microphone		Dual-array microphones

# Storage

Your computer supports the following configuration: The primary drive of your computer varies with the storage configuration.

- M.2 2230, PCIe x4 NVMe, Class 35 Solid-State Drive
- M.2 2280, PCIe x4 NVMe, Class 40 Solid-State Drive
- M.2 2280, PCIe x4 NVMe, Class 40 Solid-State Drive, Self Encrypting Drive

**Table 11. Storage specifications**

Form factor	Interface type	Capacity
M.2 2230, Class 35 Solid-State Drive	Gen 3 PCIe x4 NVMe	Up to 512 GB
M.2 2280, Class 40 Solid-State Drive	Gen 3 PCIe x4 NVMe	Up to 1 TB
M.2 2280, Class 40 Solid-State Drive, Self Encrypting Drive	Gen 3 PCIe x4 NVMe	Up to 512 GB

# Media-card reader

**Table 12. Media-card reader specifications**

Description	Values
Type	micro-SD 4.0 card slot

**Table 12. Media-card reader specifications (continued)**

Description	Values
Cards supported	<ul style="list-style-type: none"> <li>• Micro Secure Digital (mSD)</li> <li>• Micro Secure Digital High Capacity (mSDHC)</li> <li>• Micro Secure Digital Extended Capacity (mSDXC)</li> </ul>

## Keyboard

**Table 13. Keyboard specifications**

Description	Values
Type	<ul style="list-style-type: none"> <li>• Non-backlit, Without Numberpad, Bottom Mount</li> <li>• Backlit, Without Numberpad, Bottom Mount</li> </ul>
Layout	QWERTY/KANJI
Number of keys	<ul style="list-style-type: none"> <li>• United States and Canada: 79 keys</li> <li>• United Kingdom: 80 keys</li> <li>• Japan: 83 keys</li> </ul>
Size	X=18.05 mm key pitch Y=18.05 mm key pitch
Shortcut keys	<p>Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.</p> <p><b>NOTE:</b> You can define the primary behavior of the function keys (F1–F12) changing <b>Function Key Behavior</b> in BIOS setup program.</p>

## Camera

**Table 14. Camera specifications**

Description	Value				
Number of cameras	One	One	One	One	One
Type	Integrated 2.7 mm HD RGB Webcam	Integrated 2.7 mm HD RGB/IR Webcam with ALS and Proximity Sensor	Integrated 6 mm HD RGB Webcam	Integrated 6 mm HD RGB/IR Webcam with ALS and Proximity Sensor	Integrated 6 mm FHD RGB/IR Webcam with ALS and Proximity Sensor
Location	Front	Front	Front	Front	Front
Sensor type	CMOS sensor technology	CMOS sensor technology	CMOS sensor technology	CMOS sensor technology	CMOS sensor technology
Resolution (RGB):					
Still Image	0.92	0.92	0.92	0.92	2

**Table 14. Camera specifications (continued)**

Description	Value				
Video	1280 x 720 at 30 fps	1280 x 720 at 30 fps	1280 x 720 at 30 fps	1280 x 720 at 30 fps	1920 x 1080 at 30 fps
Diagonal viewing angle	74.9°	75.8°	78.6°	87°	87.6°
Resolution (IR):					
Still Image	NA	0.23	NA	0.23	0.23
Video	NA	640 x 360 at 15 fps	NA	640 x 360 at 15 fps	640 x 360 at 15 fps
Diagonal viewing angle	NA	75.8°	NA	87°	87.6°

## Touchpad

**Table 15. Touchpad specifications**

Description	Option 1	Option 2
Resolution:		
Horizontal	3054	1223
Vertical	1790	683
Dimensions:		
Horizontal	105 mm (4.13 in.)	105 mm (4.13 in.)
Vertical	60 mm (2.36 in.)	60 mm (2.36 in.)

## Power adapter

The following table lists the power adapter specifications of your Latitude 7320.

**Table 16. Power adapter specifications**

Description	Option one	Option two
Type	65 W, USB Type-C	90 W, USB Type-C
Input voltage	100 VAC to 240 VAC	100 VAC to 240 VAC
Input frequency	50 Hz to 60 Hz	50 Hz to 60 Hz
Input current (maximum)	1.70 A	1.50 A
Output current (continuous)	<ul style="list-style-type: none"> <li>● 5 V/3 A (Continuous)</li> <li>● 9 V/3 A (Continuous)</li> <li>● 15 V/3 A (Continuous)</li> <li>● 20 V/3.25 A (Continuous)</li> </ul>	<ul style="list-style-type: none"> <li>● 5 V/3 A (Continuous)</li> <li>● 9 V/3 A (Continuous)</li> <li>● 15 V/3 A (Continuous)</li> <li>● 20 V/4.5 A (Continuous)</li> </ul>
Rated output voltage	<ul style="list-style-type: none"> <li>● 5 VDC</li> <li>● 9 VDC</li> </ul>	<ul style="list-style-type: none"> <li>● 5 VDC</li> <li>● 9 VDC</li> </ul>

**Table 16. Power adapter specifications (continued)**

Description		Option one	Option two
		<ul style="list-style-type: none"> <li>• 15 VDC</li> <li>• 20 VDC</li> </ul>	<ul style="list-style-type: none"> <li>• 15 VDC</li> <li>• 20 VDC</li> </ul>
Temperature range:			
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)
Dimensions			
	Width (mm/inch)	112 mm (4.41 in.)	130 mm (5.1 in.)
	Depth (mm/inch)	51 mm (2.01 in.)	66 mm (2.6 in.)
	Height (mm/inch)	28 mm (1.1 in.)	22 mm (0.8 in.)
	Weight (kg/lb)	201 g (0.44 lb)	291 g (0.64 lb)

## Battery

**Table 17. Battery specifications**

Specifications		Option 1	Option 2
Type		4-cell, 63 WHr, optional with ExpressCharge or Long Life Cycle	3-cell, 42 WHr, optional with ExpressCharge or Long Life Cycle
Voltage (VDC)		11.40 VDC	15.2 VDC
Weight (maximum)		0.212 kg (0.467lb)	0.264 kg (0.582lb)
Dimensions:			
	Height	92.8 mm (3.654 in.)	92.8 mm (3.654 in.)
	Width	238 mm (9.37 in.)	238 mm (9.37 in.)
	Depth	5.7 mm (0.224 in.)	5.7 mm (0.224 in.)
Temperature range:			
	Operating	<ul style="list-style-type: none"> <li>• Charging: 0°C to 45°C (32°F to 113°F)</li> <li>• Discharging: 0°C to 65°C (32°F to 149°F)</li> </ul>	
	Storage	-20°C to 60°C (-4°F to 140°F)	
Battery Operating time		Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	
Battery Charging time (approximate)		<ul style="list-style-type: none"> <li>• ExpressCharge Boost (0% up to 35% ) : 20 minutes</li> <li>• Express charge : 2 hours</li> <li>• Standard charge: 3 hours</li> </ul> <p><b>i NOTE:</b> Control the charging time, duration, start and end time, and so on using the Dell Power Manger application. For more information on the Dell Power Manger</p>	

**Table 17. Battery specifications (continued)**

Specifications	Option 1	Option 2
	<a href="https://www.dell.com/support/home/product-support/product/power-manager/docs">see, https://www.dell.com/support/home/product-support/product/power-manager/docs</a>	
Life span (approximate)	<ul style="list-style-type: none"> <li>Standard: 1 Year or 300 discharge/charge cycles</li> <li>Long Life Cycle (LCL) capable: 3 Years or 1000 discharge/charge cycles (Optional)</li> </ul>	
ExpressCharge	Supported on Express Charge Capable Battery	Supported on Express Charge Capable Battery
User replaceable	No (FRU <sup>†</sup> )	No (FRU)
Coin-cell battery	Main battery reserves 2% of capacity for RTC function.	
Coin-cell Operating time	68 days with 3-cell 42 WHr battery ⓘ <b>NOTE:</b> Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	

**NOTE:**

For batteries with the ExpressCharge feature, the battery will typically have at least an 80% charge after about an hour of charging with the system off, and fully charged in about 2 hours with the system off.

Enabling ExpressCharge requires that both the computer and the battery used be ExpressCharge capable. If these requirements are not met, ExpressCharge will not be enabled.

<sup>†</sup> : Field Replaceable Part

## Display

**Table 18. Display specifications**

Description	Values				
	Option 1	Option 2	Option 3	Option 4	Option 5
Type	13.3 in. Full High Definition (FHD)	13.3 in. Full High Definition (FHD)	13.3 in. Full High Definition (FHD)	13.3 in. Full High Definition (FHD)	13.3 in. Full High Definition (FHD) for 2-in-1
Panel technology	WVA	<ul style="list-style-type: none"> <li>WVA</li> <li>Super Low Power</li> <li>Low Blue Light</li> </ul>	WVA	<ul style="list-style-type: none"> <li>WVA</li> <li>Privacy</li> </ul>	WVA
Luminance (typical)	250 nits	400 nits	300 nits	300 nits	300 nits
Dimensions (Active Area):					
Height	165.24 mm (6.51 in.)	165.24 mm (6.51 in.)	165.24 mm (6.51 in.)	165.24 mm (6.51 in.)	165.24 mm (6.51 in.)
Width	293.76 mm (11.57 in.)	293.76 mm (11.57 in.)	293.76 mm (11.57 in.)	293.76 mm (11.57 in.)	293.76 mm (11.57 in.)
Diagonal	337.08 mm (13.27 in.)	337.08 mm (13.27 in.)	337.08 mm (13.27 in.)	337.08 mm (13.27 in.)	337.08 mm (13.27 in.)

**Table 18. Display specifications (continued)**

Description	Values				
	Native Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Megapixels	2.07	2.07	2.07	2.07	2.07
Pixels per Inch (PPI)	166 PPI	166 PPI	166 PPI	166 PPI	166 PPI
Contrast Ratio (typ)	800:1	1000:1	500:1	600:1	1000:1
Response Time (max)	35 ms	35 ms	35 ms	35 ms	35 ms
Refresh Rate	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
Horizontal View Angle	80°	80°	80°	80°	80°
Vertical View Angle	80°	80°	80°	80°	80°
Pixel Pitch	0.153 x 0.153	0.153 x 0.153	0.153 x 0.153	0.153 x 0.153	0.153 x 0.153
Power Consumption (maximum)	3.5 W	2.52 W	4.1 W	3.45 W	1.99 W
Anti-glare vs glossy finish	Anti-glare	Anti-glare	Anti-glare	Anti-Glare	Anti-Reflection/ Anti-Smudge coating
Touch options	No	No	Yes	Yes	Yes
Stylus support	No	No	No	No	Yes (optional Wacom pen)

## Fingerprint reader in power button

**Table 19. Fingerprint reader specifications**

Description	Values
Sensor technology	Capacitive
Sensor resolution	500 dpi
Sensor pixel size	108 x 88

## GPU—Integrated

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Latitude 7320.

**Table 20. GPU—Integrated**

Controller	External display support	Memory size	Processor
Intel Iris X <sup>e</sup> Graphics	<ul style="list-style-type: none"> <li>One HDMI 2.0 port</li> <li>Two Thunderbolt 4 ports with DisplayPort Alt Mode</li> </ul>	Shared system memory	11 <sup>th</sup> Generation Intel Core i5/i7

# Operating and storage environment

This table lists the operating and storage specifications of your Latitude 7320.

**Airborne contaminant level:** G1 as defined by ISA-S71.04-1985

**Table 21. Computer environment**

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 80% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.26 GRMS	1.37 GRMS
Shock (maximum)	105 G†	40 G†
Altitude range	-15.2 m to 3048 m (-50 ft to 10,000 ft)	-15.2 m to 10668 m (-50 ft to 35,000 ft)

\* Measured using a random vibration spectrum that simulates user environment.

† Measured using a 2 ms half-sine pulse when the hard drive is in use.



## Keyboard shortcuts

**NOTE:** Keyboard characters may differ depending on the keyboard language configuration. Keys that are used for shortcuts remain the same across all language configurations.

**Table 22. List of keyboard shortcuts**


Keys	Primary Behavior	Secondary Behavior (Fn + Key)
Fn + Esc	Escape	Switch Fn-key lock
Fn + F1	Mute audio	F1 behavior
Fn + F2	Decrease volume	F2 behavior
Fn + F3	Increase volume	F3 behavior
Fn + F4	Mic Mute	F4 behavior
Fn + F5	Keyboard backlight <b>NOTE:</b> Not applicable for non-backlight keyboard.	F5 behavior
Fn + F6	Decrease screen brightness	F6 behavior
Fn + F7	Increase screen brightness	F7 behavior
Fn + F8	Switch to external display	F8 behavior
Fn + F10	Print Screen	F10 behavior
Fn + F11	Home	F11 behavior
Fn + F12	End	F12 behavior
Fn + Right Ctrl	Emulates right-click	--

# Getting help

## Topics:

- [Contacting Dell](#)

## Contacting Dell

 **NOTE:** If you do not have an active Internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.

Dell provides several online and telephone-based support and service options. Availability varies by country and product, and some services may not be available in your area. To contact Dell for sales, technical support, or customer service issues:

1. Go to **Dell.com/support**.
2. Select your support category.
3. Verify your country or region in the **Choose a Country/Region** drop-down list at the bottom of the page.
4. Select the appropriate service or support link based on your need.